

# LARSON CATALOGUE





**ADD A**  
**Larson Door**

Add a Larson Door to any model of Madero door system in 32", 34" or 36" by standard 6/8" height. Available as factory installed or as DIY for existing doors in your home. A Larson storm door improves energy efficiency of the entryway by up to 80%. Please contact your Madero dealer for custom sizes and additional products available.



## Retractable Screen Away® Storm Doors

Larson's Retractable Screen Away® designs convert your storm door to a screen door instantly and discreetly rolls up and hides when not in use.




**I46FV | FVE Fullview  
Easy Vent®**

8" Height  
30", 32", 34", 36"



## Measuring Storm Doors



Your measurements

<b>A</b>	width
<b>B</b>	width
<b>C</b>	width
<b>D</b>	height


Door Sizes	Min-Max Doorway Width	Min-Max Doorway Height
30" x 81"	29-7/8" to 30-3/8"	80" to 81"
32" x 81"	31-7/8" to 32-3/8"	
34" x 81"	33-7/8" to 34-3/8"	
30" x 81"	35-7/8" to 36-3/8"	

Size availability varies by model.  
CUSTOM SIZES available in select models.

## Mounting Guide

### Storm Doors (Recess Mount)

The rails mount inside the opening and require a 1" wide by 1" deep mounting surface.



Note: Construction styles may vary